

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

Mixture identification:

Trade name: UNIVERSAL BASE COAT

Trade code: 907BK9990

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

Recommended use: Colored undercoat

Uses advised against: Data not available.

### **1.3. Details of the supplier of the safety data sheet**

Company: MAPEI Polska Sp. z o.o.

ul. Gustawa Eiffela 14 - 44-109 Gliwice, Polska

Gliwice: phone: +48-32-7754450 - fax: +48-32-7754471 - Biuro Handlowe Warszawa - phone: +48-22-595-42-00 - fax: +48-22-595-42-02

Responsable: bezpieczenstwo@mapei.pl

### **1.4. Emergency telephone number**

Telefon alarmowy w Polsce (czynny w godzinach 9:00 - 17:00): + 48 22 595 42 00

## **SECTION 2: Hazards identification**

### **2.1. Classification of the substance or mixture**

#### **Regulation (EC) n. 1272/2008 (CLP)**

Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

### **2.2. Label elements**

#### **Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.  
P273 Avoid release to the environment.  
P501 Dispose of contents/container in accordance with applicable regulations.

#### **Special Provisions:**

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

EUH208 Contains 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

EUH208 Contains 4,5-dichloro-2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### **Special provisions according to Annex XVII of REACH and subsequent amendments:**

None.

### **2.3. Other hazards**

No PBT, vPvB or endocrine disruptor substances  
present in concentration  $\geq 0.1\%$

Other Hazards: No other hazards

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Relevant

3.2. Mixtures

Mixture identification: UNIVERSAL BASE COAT

Hazardous components within the meaning of the CLP regulation and related classification:

| Qty              | Name                                                                                                                                  | Ident. Numb.                                         | Classification                                                                                                                                                                                                | Registration Number |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| ≥1 - <2.5 %      | free crystalline silica (Ø <10 µ)                                                                                                     | CAS:14808-60-7<br>EC:238-878-4                       | STOT RE 1, H372                                                                                                                                                                                               |                     |
| ≥0.025 - <0.05 % | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one                                                                              | CAS:2634-33-5<br>EC:220-120-9<br>Index:613-088-00-6  | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Acute Tox. 4, H302 Skin Sens. 1, H317 Aquatic Chronic 2, H411                                                                                      |                     |
|                  |                                                                                                                                       |                                                      | Specific Concentration Limits:<br>C ≥ 0.05%: Skin Sens. 1 H317                                                                                                                                                |                     |
| <0.0015 %        | reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | CAS:55965-84-9<br>EC:611-341-5<br>Index:613-167-00-5 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Acute Tox. 3, H301 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Acute Tox. 2, H310 Acute Tox. 2, H330 Eye Dam. 1, H318, M-Chronic:100, M-Acute:100                   |                     |
|                  |                                                                                                                                       |                                                      | Specific Concentration Limits:<br>C ≥ 0.6%: Skin Corr. 1C H314<br>0.06% ≤ C < 0.6%: Skin Irrit. 2 H315<br>C ≥ 0.6%: Eye Dam. 1 H318<br>0.06% ≤ C < 0.6%: Eye Irrit. 2 H319<br>C ≥ 0.0015%: Skin Sens. 1A H317 |                     |
| <0.0015 %        | 2-octyl-2H-isothiazol-3-one                                                                                                           | CAS:26530-20-1<br>EC:247-761-7<br>Index:613-112-00-5 | Acute Tox. 2, H330 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410, M-Chronic:100, M-Acute:100, EUH071            |                     |
|                  |                                                                                                                                       |                                                      | Specific Concentration Limits:<br>C ≥ 0.0015%: Skin Sens. 1A H317                                                                                                                                             |                     |
|                  |                                                                                                                                       |                                                      | Acute Toxicity Estimate:<br>ATE - Oral: 125mg/kg bw<br>ATE - Dermal: 311mg/kg bw                                                                                                                              |                     |
| <0.0015 %        | 4,5-dichloro-2-octyl-2H-isothiazol-3-one                                                                                              | CAS:64359-81-5<br>EC:264-843-8<br>Index:613-335-00-8 | Acute Tox. 2, H330 Acute Tox. 4, H302 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Corrosive to the respiratory tract., M-Chronic:100, M-Acute:100   |                     |
|                  |                                                                                                                                       |                                                      | Specific Concentration Limits:<br>0.025% ≤ C < 5%: Skin Irrit. 2 H315<br>0.025% ≤ C < 3%: Eye Irrit. 2 H319<br>C ≥ 0.0015%: Skin Sens. 1A H317                                                                |                     |
|                  |                                                                                                                                       |                                                      | Acute Toxicity Estimate:<br>ATE - Oral: 567mg/kg bw                                                                                                                                                           |                     |

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Not available

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treatment:

Not available

(see paragraph 4.1)

---

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

#### **5.2. Special hazards arising from the substance or mixture**

Do not inhale explosion and combustion gases.

#### **5.3. Advice for firefighters**

Use suitable breathing apparatus.

---

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment.

Remove persons to safety.

#### **6.2. Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

#### **6.3. Methods and material for containment and cleaning up**

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

#### **6.4. Reference to other sections**

See also section 8 and 13

---

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

#### **7.2. Conditions for safe storage, including any incompatibilities**

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

#### **7.3. Specific end use(s)**

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Community Occupational Exposure Limits (OEL)

|                                                      | OEL Type      | Country        | Occupational Exposure Limit                                                                                                                                                                            |
|------------------------------------------------------|---------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| free crystalline silica (Ø <10 µ)<br>CAS: 14808-60-7 | ACGIH         |                | Long Term: 0.025 mg/m3<br>A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis                                                                                                               |
|                                                      | National      | ARGENTINA      | Long Term: 0.05 mg/m3                                                                                                                                                                                  |
|                                                      | National      | AUSTRALIA      | Long Term: 0.1 mg/m3                                                                                                                                                                                   |
|                                                      | National      | AUSTRIA        | Long Term: 0.15 mg/m3<br>A*                                                                                                                                                                            |
|                                                      | National      | BELGIUM        | Long Term: 0.1 mg/m3                                                                                                                                                                                   |
|                                                      | National      | BULGARIA       | Long Term: 0.07 mg/m3                                                                                                                                                                                  |
|                                                      | National      | CROATIA        | Long Term: 0.1 mg/m3                                                                                                                                                                                   |
|                                                      | National      | CZECH REPUBLIC | Long Term: 0.1 mg/m3                                                                                                                                                                                   |
|                                                      | National      | DENMARK        | Long Term: 0.1 mg/m3; Short Term: 0.2 mg/m3<br>Respirabel fraktion, respirable fraction<br>E: Stoffet har en EU-grænseværdi.<br>K: Stoffet anses for at kunne være kræftfremkaldende.                  |
|                                                      | National      | DENMARK        | Long Term: 0.3 mg/m3; Short Term: 0.6 mg/m3<br>Total dust                                                                                                                                              |
|                                                      | National      | ESTONIA        | Long Term: 0.1 mg/m3                                                                                                                                                                                   |
|                                                      | National      | FINLAND        | Long Term: 0.05 mg/m3<br>Respirabel fraktion. Respirable fraction                                                                                                                                      |
|                                                      | National      | FRANCE         | Long Term: 0.1 mg/m3                                                                                                                                                                                   |
|                                                      | National      | HUNGARY        | Long Term: 0.15 mg/m3                                                                                                                                                                                  |
|                                                      | National      | ITALY          | Long Term: 0.1 mg/m3                                                                                                                                                                                   |
|                                                      | National      | LITHUANIA      | Long Term: 0.1 mg/m3                                                                                                                                                                                   |
|                                                      | Malaysi a OEL | MALAYSIA       | Long Term: 0.1 mg/m3<br>0.1 mg/m3 TWA (respirable dust)                                                                                                                                                |
|                                                      | NDS S         | NETHERLAND     | Long Term: 0.075 mg/m3                                                                                                                                                                                 |
|                                                      | National      | NORWAY         | Long Term: 0.3 mg/m3<br>Totalstøv (total dust);<br>K: Kjemikalier som skal betraktes som kreftfremkallende.                                                                                            |
|                                                      | National      | NORWAY         | Long Term: 0.05 mg/m3<br>Respirabelt støv (respirable dust);<br>K: Kjemikalier som skal betraktes som kreftfremkallende.<br>G: EU har fastsatt en bindende grenseverdi og/eller anmerkning av stoffet. |
|                                                      | ACGIH         |                | Long Term: 0.025 mg/m3<br>(R), A2 - Pulm fibrosis, lung cancer                                                                                                                                         |
|                                                      | EU            |                | Long Term: 0.025 mg/m3<br>A2 (R) - Pulm fibrosis, lung cancer                                                                                                                                          |
|                                                      | NDS           | POLAND         | Long Term: 0.1 mg/m3                                                                                                                                                                                   |
|                                                      | National      | PORTUGAL       | Long Term: 0.025 mg/m3                                                                                                                                                                                 |
|                                                      | National      | ROMANIA        | Long Term: 0.1 mg/m3                                                                                                                                                                                   |
|                                                      | National      | SLOVAKIA       | Long Term: 0.1 mg/m3; Short Term: 0.5 mg/m3                                                                                                                                                            |
|                                                      | National      | SLOVENIA       | Long Term: 0.1 mg/m3                                                                                                                                                                                   |
|                                                      | National      | SPAIN          | Long Term: 0.05 mg/m3                                                                                                                                                                                  |
|                                                      | National      | SWEDEN         | Long Term: 0.1 mg/m3<br>Respirabel fraktion. Respirable fraction<br>C: Ämnet är cancerframkallande.<br>M: Medicinska kontroller.                                                                       |
| 2-octyl-2H-isothiazol-3-one<br>CAS: 26530-20-1       | DFG           | GERMANY        | Ceiling - Short Term: 54 mg/m3 - 10 ppm                                                                                                                                                                |

National GERMANY Long Term: 0.05 mg/m3

CHE SWITZERLAN Short Term: 0.1 mg/m3  
D

National SLOVENIA Long Term: 0.05 mg/m3; Short Term: 0.05 mg/m3

DFG GERMANY Ceiling - Short Term: 0.1 mg/m3

National SLOVENIA Long Term: 0.05 mg/m3; Short Term: 0.1 mg/m3

## 8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Suitable materials for safety gloves; EN ISO 374:

Polychloroprene - CR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Nitrile rubber - NBR: thickness  $\geq 0,35\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Butyl rubber - IIR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Fluorinated rubber - FKM: thickness  $\geq 0,4\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Neoprene gloves are suggested (0,5 mm) not recommended gloves: not waterproof gloves

Respiratory protection:

Personal Protective Equipment should comply with relevant CE standards (as EN ISO 374 for gloves and EN ISO 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to appropriate EN standards, like EN 136, 140, 143, 149, 14387 for information on selection and use of appropriate respiratory protection equipment.

Hygienic and Technical measures

Not available

Appropriate engineering controls:

Not available

---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Appearance: paste

Color: various

Odour: Characteristic

Odour threshold: Not available

Melting point / freezing point: Not available

Initial boiling point and boiling range: Not available

Flammability: N.A.

Lower and upper explosion limit: Not available

Flash point: Not available

Auto-ignition temperature: Not available

Decomposition temperature: Not available

pH: 8.00

Viscosity: 170,000.00 cPs

Kinematic viscosity: Not available

Solubility in water: dispersible

Solubility in oil: no data available

Partition coefficient (n-octanol/water): Not available

Vapour pressure: Not available

Relative density: 1.57 g/cm3

Vapour density: Not available

**Particle characteristics:**

Particle size: Not available

### 9.2. Other information

Miscibility: Not available

Conductivity: Not available

Solid/gas flammability: non infiammabile

No other relevant information

---

## SECTION 10: Stability and reactivity

**10.1. Reactivity**

Stable under normal conditions

**10.2. Chemical stability**

Stable under normal conditions

**10.3. Possibility of hazardous reactions**

None.

**10.4. Conditions to avoid**

Stable under normal conditions.

**10.5. Incompatible materials**

None in particular.

**10.6. Hazardous decomposition products**

None.

---

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicological Information of the Preparation**

|                                      |                                                                  |
|--------------------------------------|------------------------------------------------------------------|
| a) acute toxicity                    | Not classified                                                   |
|                                      | Based on available data, the classification criteria are not met |
| b) skin corrosion/irritation         | Not classified                                                   |
|                                      | Based on available data, the classification criteria are not met |
| c) serious eye damage/irritation     | Not classified                                                   |
|                                      | Based on available data, the classification criteria are not met |
| d) respiratory or skin sensitisation | Not classified                                                   |
|                                      | Based on available data, the classification criteria are not met |
| e) germ cell mutagenicity            | Not classified                                                   |
|                                      | Based on available data, the classification criteria are not met |
| f) carcinogenicity                   | Not classified                                                   |
|                                      | Based on available data, the classification criteria are not met |
| g) reproductive toxicity             | Not classified                                                   |
|                                      | Based on available data, the classification criteria are not met |
| h) STOT-single exposure              | Not classified                                                   |
|                                      | Based on available data, the classification criteria are not met |
| i) STOT-repeated exposure            | Not classified                                                   |
|                                      | Based on available data, the classification criteria are not met |
| j) aspiration hazard                 | Not classified                                                   |
|                                      | Based on available data, the classification criteria are not met |

**Toxicological information on main components of the mixture:**

|                                                                                                                                       |                   |                                    |
|---------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------------------------------|
| free crystalline silica (Ø <10 µ)                                                                                                     | a) acute toxicity | LD50 Oral Rat = 500 mg/kg          |
| 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one                                                                              | a) acute toxicity | LD50 Oral Rat = 670 mg/kg          |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | a) acute toxicity | LC50 Inhalation Rat = 2.36 mg/l 4h |
|                                                                                                                                       |                   | LD50 Skin Rabbit = 660 mg/kg       |
|                                                                                                                                       |                   | LD50 Oral Rat = 53 mg/kg           |
| 2-octyl-2H-isothiazol-3-one                                                                                                           | a) acute toxicity | ATE - Oral : 125 mg/kg bw          |
|                                                                                                                                       |                   | ATE - Dermal : 311 mg/kg bw        |

LD50 Oral Rat = 318 mg/kg  
LD50 Skin Rabbit = 311 mg/kg  
LC50 Inhalation Dust Rat = 0.58 mg/l 4h

4,5-dichloro-2-octyl-2H-isothiazol-3-one a) acute toxicity

ATE - Oral : 567 mg/kg bw

LC50 Inhalation Dust Rat = 0.16 mg/l  
LD50 Oral Rat = 567 mg/kg

## 11.2. Information on other hazards

### Endocrine disrupting properties:

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

## SECTION 12: Ecological information

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### List of Eco-Toxicological properties of the product

The product is classified: Aquatic Chronic 3(H412)

### List of Eco-Toxicological properties of the components

| Component                                                                                                                             | Ident. Numb.                                                | Ecotox Data                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one                                                                              | CAS: 2634-33-5<br>- EINECS: 220-120-9 - INDEX: 613-088-00-6 | a) Aquatic acute toxicity : LC50 Fish = 2.15 mg/L<br><br>b) Aquatic chronic toxicity : NOEC Algae = 0.0403 mg/L 72h<br>b) Aquatic chronic toxicity : EC50 Algae = 0.11 mg/L 72h<br>b) Aquatic chronic toxicity : EC10 Algae = 0.04 mg/L 72h<br>b) Aquatic chronic toxicity : EC50 Daphnia = 3.27 mg/L 48h<br>NOEC Daphnia = 1.2 mg/L 21d                                                                                            |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | CAS: 55965-84-9 - EINECS: 611-341-5 - INDEX: 613-167-00-5   | a) Aquatic acute toxicity : EC50 Daphnia = 0.12 mg/L 48<br><br>a) Aquatic acute toxicity : LC50 Fish = 0.22 mg/L 96<br>a) Aquatic acute toxicity : EC50 Algae = 0.048 mg/L 72<br>b) Aquatic chronic toxicity : NOEC Algae = 0.0012 mg/L 72<br>b) Aquatic chronic toxicity : NOEC Fish = 0.098 mg/L - 28 d<br>b) Aquatic chronic toxicity : NOEC Daphnia = 0.004 mg/L - 21 d                                                         |
| 2-octyl-2H-isothiazol-3-one                                                                                                           | CAS: 26530-20-1 - EINECS: 247-761-7 - INDEX: 613-112-00-5   | a) Aquatic acute toxicity : EC50 Daphnia = 0.42 mg/L 48<br><br>a) Aquatic acute toxicity : EC50 Algae = 0.084 mg/L 72<br>a) Aquatic acute toxicity : LC50 Fish = 0.036 mg/L 96<br>a) Aquatic acute toxicity : LC50 Fish = 0.18 mg/L 96<br>b) Aquatic chronic toxicity : NOEC Daphnia = 0.002 mg/L - 21 d<br>b) Aquatic chronic toxicity : NOEC Fish = 0.022 mg/L - 28 d<br>b) Aquatic chronic toxicity : NOEC Algae = 0.004 mg/L 72 |
| 4,5-dichloro-2-octyl-2H-isothiazol-3-one                                                                                              | CAS: 64359-81-5 - EINECS: 264-843-8 - INDEX: 613-335-00-8   | a) Aquatic acute toxicity : EC50 Daphnia = mg/L 48<br><br>a) Aquatic acute toxicity : EC50 Algae = mg/L 72                                                                                                                                                                                                                                                                                                                          |

- a) Aquatic acute toxicity : LC50 Fish = mg/L 96  
b) Aquatic chronic toxicity : NOEC Daphnia = mg/L  
b) Aquatic chronic toxicity : NOEC Fish = mg/L

## 12.2. Persistence and degradability

N.A.

## 12.3. Bioaccumulative potential

N.A.

## 12.4. Mobility in soil

N.A.

## 12.5. Results of PBT and vPvB assessment

No PBT, vPvB or endocrine disruptor substances  
present in concentration  $\geq 0.1\%$

## 12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

## 12.7. Other adverse effects

Not available

---

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

A waste code (EWC) according to European List of Waste (LoW) cannot be specified, due to dependence on the usage. Contact and send to an authorized waste disposal service.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Hazardous waste: Yes

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

---

# SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

## 14.1. UN number or ID number

Not Applicable

## 14.2. UN proper shipping name

Not Applicable

## 14.3. Transport hazard class(es)

Not Applicable

## 14.4. Packing group

Not Applicable

## 14.5. Environmental hazards

Not Applicable

## 14.6. Special precautions for user

Not Applicable

Road and Rail (ADR-RID):

Not Applicable

Air (IATA):

Not Applicable

Sea (IMDG):

Not Applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Not Applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC (2004/42/EC) : 28 g/l

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EU) n. 2020/878

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Obwieszczenie Ministra Zdrowia z dnia 9 września 2016 r. (Dz.U. 2016 poz. 1488)

Obwieszczenie Marszałka Sejmu Rzeczypospolitej Polskiej z dnia 15 kwietnia 2021 r. (Dz.U. 2021 poz. 779, z późniejszymi zmianami)

Rozporządzenie Ministra Rodziny, Pracy i Polityki Społecznej z dnia 12 czerwca 2018 r. (Dz.U. 2018 poz. 1286, z późniejszymi zmianami)

Ustawa z dnia 25 lutego 2011 r. (Dz.U. 2011 nr 63 poz. 322, z późniejszymi zmianami)

Ustawa z dnia 14 grudnia 2012 r. (Dz.U. 2013 poz. 21, z późniejszymi zmianami)

Provisions related to directive EU 2012/18 (Seveso III):

None

#### Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: 3

Restrictions related to the substances contained: 40, 75

#### SVHC Substances:

SVHC substances not present in a concentration  $\geq 0.1\%$  (w/w)

#### German Water Hazard Class.

1

**Regulation (UE) 2019/1148 (Explosive precursors):** No substances contained

**Regulation (CE) 273/2004 and 111/2005 (Drug precursors):** No substances contained

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

### SECTION 16: Other information

| Code | Description |
|------|-------------|
|------|-------------|

|      |                                                                 |
|------|-----------------------------------------------------------------|
| H372 | Causes damage to organs through prolonged or repeated exposure. |
|------|-----------------------------------------------------------------|

| Code | Hazard class and hazard category | Description |
|------|----------------------------------|-------------|
|------|----------------------------------|-------------|

|       |           |                                                                |
|-------|-----------|----------------------------------------------------------------|
| 3.9/1 | STOT RE 1 | Specific target organ toxicity — repeated exposure, Category 1 |
|-------|-----------|----------------------------------------------------------------|

If appropriate, specific provisions in relation to possible training for workers are mentioned in section 2. Any training related to safety in the workplace must in any case refer to a risk assessment that must be carried out by a company safety officer taking into account the specific operating and environmental conditions in which the products are used.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: KAFH

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low

N.A.: Not Applicable

N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

**\* Sheet model entirely changed in compliance to regulatory update.**